

### **AMENDMENTS TO THE CLAIMS**

The following Listing of Claims replaces app previous listings of claims.

#### **Listing of Claims:**

Claim 1. (Previously presented) A process for preparing methylamines comprising gas-phase reaction of methanol and ammonia as starting materials at a pressure in the range from 15 to 30 bar in the presence of a heterogeneous catalyst, which further comprises vaporizing the starting materials in one or more heat exchangers, superheating them to form a feed gas stream and subsequently feeding this into a reactor, with the starting materials either being mixed in the feed stream to one of the heat exchangers or at any other position on the heat exchanger, and taking off a product gas stream comprising monomethylamine, dimethylamine and trimethylamine and also reaction by-products from the reactor, wherein the reactor inlet temperature of the starting materials is controlled to a temperature in the range from 360°C to 370°C by passing part or all of the feed gas stream or product gas stream through an adjustable valve in order to vary the pressure.

Claim 2. (Previously presented) A process as claimed in claim 1, wherein the valve can be adjusted steplessly.

Claim 3. (Previously presented) A process as claimed in claim 1, wherein the valve is installed upstream or downstream of the reactor.

Claim 4. (Previously presented) A process as claimed in claim 1, wherein the product gas stream is used for vaporizing and superheating the starting materials, resulting in partial condensation of the product gas stream.

Claim 5. (Previously presented) A process as claimed in claim 1, wherein a substream of the product gas stream is used for vaporizing and superheating the starting materials.

Claim 6. (Previously presented) A process as claimed in claim 1, wherein the reaction by-products formed in the reaction are separated off from the product gas stream and fed back into the reactor.

Claim 7. (Previously presented) A process as claimed in claim 6, wherein the ammonia and the reaction by-products fed back into the reactor are preheated before the methanol is added.

Claim 8. (Previously presented) A process as claimed in claim 1, wherein steam is added to the product gas stream to preheat and superheat the starting materials.

Claim 9. (Currently amended): A process as claimed in claim 1, wherein the reactor is operated adiabatically.

Claim 10. (Previously presented) A process as claimed in claim 1, wherein heat of reaction is removed by cooling the reactor.

Claim 11. (Previously presented) A process as claimed in claim 1, wherein, when a plurality of heat exchangers is used for vaporization and superheating of the starting materials, a droplet precipitator for separating condensate from the product gas stream is installed downstream of each heat exchanger.

Claim 12. (Previously presented) A process as claimed in claim 1, wherein the pressure at the inlet of the valve is from 0 to 5 bar higher than at the outlet of the valve.

Claim 13. (Previously presented) A process as claimed in claim 1, wherein the starting materials are heated up electrically to start the reaction.

Claim 14. (Currently amended): A process as claimed in claim 1, wherein vaporization and ~~superheating~~ ~~superheating~~ of the starting materials is carried out in countercurrent.

Claim 15. (Previously presented): A process as claimed in claim 1, wherein vaporization and superheating of the starting materials is carried out in cocurrent.

Claim 16. (Previously presented) A process as claimed in claim 1, wherein, when a plurality of heat exchangers is used for vaporization and superheating of the starting materials, at least one heat exchanger operates in cocurrent and at least one heat exchanger operates in countercurrent.

Claim 17. (Previously presented) A process as claimed in claim 2 wherein the valve is installed upstream or downstream of the reactor.

Claim 18. (Previously presented) A process as claimed in claim 2 wherein the product gas stream is used for vaporizing and superheating the starting materials, resulting in partial condensation of the product gas stream.

Claim 19. (Previously presented) A process as claimed in claim 3 wherein the product gas stream is used for vaporizing and superheating the starting materials, resulting in partial condensation of the product gas stream.

Claim 20. (Previously presented) A process as claimed in claim 2 wherein a substream of the product gas stream is used for vaporizing and superheating the starting materials.